



CARTELERA N° 201/26

CURSOS DE POSGRADO

“PRODUCCIÓN DE FIBRAS ANIMALES: DESAFÍOS DE LA COMPETITIVIDAD CON FIBRAS SINTÉTICAS.”

Coordinadora: Karina Neimaur

Créditos: 3

Horas: 50

Cupos: NO

Modalidad de dictado: HIBRIDO Lugar: Sede central FVET

Período de dictado: 14/07/2026-17/07/2026

Período de inscripción: * 29/04/2026-10/07/2026

Exclusivamente a través del SGAE* Les dejamos un [instructivo](#) de apoyo

Docentes participantes nacionales:

- PhD. Ignacio de Barbieri (INIA)
- MSc. Inés Cantou (Facultad de Veterinaria, Udelar)
- MSc. Ignacio Abella (SUL)

Docentes participantes extranjeros:

- Prof. PhD Eduardo Frank (Universidad Nacional de la Rioja, Argentina)
- PhD. Melina Castillo (Universidad Nacional de la Pampa, Argentina)

Cronograma de actividades

En: Sede Central FVET- Ruta 8, Km 18

Martes 14 de Julio

9:00- 9:15. Apertura del curso. Presentación de docentes y participantes.

9:15-10:30. El desafío de lograr reemplazar las fibras sintéticas contaminantes. Principales efectos de los microplásticos en el organismo humano y animal y ambiente en general. PhD. Eduardo Frank

10:30-10:45. Coffee break

10:45- 12:00. Biología de la producción de fibra y clasificación de fibras textiles. PhD.

Eduardo Frank

12:00- 13:30. Receso para almuerzo

13:30-15:00. Características físicas de la fibra. Diferencias y semejanzas entre lana, mohair, cachemira, llama-alpaca, vicuña-guanaco, chinchilla y conejo. PhD. Eduardo Frank

15:15- 16:30. Actividad práctica. PhD. Eduardo Frank

Miércoles 15 de Julio

9:15-10:30. Producción, Estrés y Bienestar Animal: Implicancias en la Calidad de la Fibra. MSc. Inés Cantou

10:35-10:45. Coffee break

10:45- 12:00. Inducción a la muda. PhD. Melina Castillo

12:00- 13:30. Receso para almuerzo

13:30-15:00. Estructura del vellón y características de la fibra: bases para su medición. PhD. Eduardo Frank

15:15- 16:15. Color de la lana: Implicancias en la calidad de un lote y en su procesamiento. PhD. Karina Neimaur

Jueves 16 de Julio

9:15-10:30. Lanas ultrafinas: características de la fibra, mejora genética y desafíos para la competitividad de los sistemas ovinos. PhD. Karina Neimaur



10:35- 10:45. Coffee break

10:45- 12:00. Calidad comercial de fibras animales: requerimientos del consumidor y sistemas de clasificación. PhD. Eduardo Frank

12:00- 13:30. Receso para almuerzo

13:30- 15:00. Comercialización y procesamiento de fibras animales: bases técnicas y sistemas industriales. PhD. Eduardo Frank

Viernes 17 de Julio

9:15-10:30. Fibras animales en mercados sostenibles: innovación, certificación y valor agregado. MSc. Ignacio Abella.

10:35-10:45. Coffee break

10:45- 12:00. Eficiencia productiva, emisiones y resiliencia: claves para la competitividad de la lana ante los nuevos desafíos ambientales. PhD. Ignacio de Barbieri.

12:00- 13:30. Receso para almuerzo

13:30-15:00. Bases genéticas de la producción de fibra y programas de selección. PhD. Eduardo Frank.

15:00. Cierre del curso



Bibliografía

Baird, K. (1963). Changes of curvature with regain of set wool and hair fibres. *Textile Research Journal*, 33(10), 866–868.

Bateup, B. O. (1986). Optimization of the aqueous scouring process. In *Symposium of wool scouring and worsted carding: New approaches*. CSIRO Division of Textile Industry.

Benavides, M., Damak, S., & Maher, A. (2000). A putative resistant DNA marker for wool yellowing susceptibility in sheep. *Genetics and Molecular Biology*, 23, 341–346. <https://doi.org/10.1590/S1415-47572000000200017>

Benavides, M. V., & Maher, A. P. (2000). Quantitative genetic studies on wool yellowing in Corriedale sheep. II. Clean wool colour and wool production traits: Genetic parameter estimates and economic returns. *Australian Journal of Agricultural Research*, 51(2), 191–196. <https://doi.org/10.1071/AR98065>

Benavides, M., & Maher, A. (2002). Indirect selection criteria against clean wool colour in Corriedale sheep and their effects on wool production traits. *Genetics and Molecular Biology*, 25, 139–145. <https://doi.org/10.1590/S1415-47572002000200005>

Benavides, M., & Maher, A. (2003). Genetic parameters of wool colour and skin traits in Corriedale sheep. *Genetics and Molecular Biology*, 26, 267–274. <https://doi.org/10.1590/S1415-47572003000300009>

Bishop, D. P. (1996). Fabrics: Sensory and mechanical properties. *Textile Progress*, 26(3), 1–64.

Brown, D. (2005). Novel Merino wool quality traits (AWI Project EC814). Animal Genetics and Breeding Unit, University of New England / NSW Department of Primary Industry.

Brown, D. (2006). Genetic aspects of greasy wool colour assessments in Merino sheep. *International Journal of Sheep and Wool Science*, 54, 1–10. <https://hdl.handle.net/1959.11/3127>

Campbell, M. E., Whiteley, K. J., & Gillespie, J. M. (1972). Compositional studies of high-crimp and low-crimp wools. *Australian Journal of Biological Sciences*, 25(5), 977–987.

Carnaby, G. A., & Pan, N. (1989). Theory of the compression hysteresis of fibrous assemblies. *Textile Research Journal*, 59(5), 275–284.

Castillo, M., Gómez, M. B., Ceruti, D. A., Palermo, P. V., Prieto, A., Hick, M. V. H., & Frank, E. N. (2023). Estudio del ciclo biológico de la fibra de cabras de cachemira autóctonas de Patagonia Norte, Argentina. *Ciencia Veterinaria*, 25(2), 151–159.

Chaudri, M. A. (1966). The influence of crimp form on the compressional behaviour of animal fibre bulks. *Biorheology*, 4, 31–32.

Chernova, O. F. (2002). Architectonic and diagnostic significance of hair cuticle. *Biology Bulletin*, 29(3), 238–247.

Cottle, D. J. (2013). *International sheep and wool handbook*. AWI.

Cottle, D. J., & Baxter, B. P. (2015). Wool metrology research and development to date. *Textile Progress*, 47(3), 163–315.

<https://doi.org/10.1080/00405167.2015.1108543>



Cruthers, N., Laing, R. M., Carr, D., & Niven, B. (2010). Properties of New Zealand alpaca textiles. In Textile Institute World Conference. Manchester.

Dalton, J., & Franck, R. R. (2001). Cashmere, camelhair and other hair fibres. In R. R. Franck (Ed.), *Silk, mohair, cashmere and other luxury fibres* (pp. 133–174). Woodhead Publishing.

De Boos, A. G. (2005). Concepts and understanding of fabric hand. In H. M. Behery (Ed.), *Effect of mechanical and physical properties on fabric hand* (pp. 11–44). The Textile Institute.

De Boos, A. G., Naylor, G. R., Slota, I. J., & Stanton, J. (2002). The effect of the diameter characteristics of the fibre ends on the skin comfort and handle of knitted wool fabrics. *Wool Technology and Sheep Breeding*, 50(2), 110–120.

Dyer, J., Bringans, S., Aitken, G., Joyce, N., & Bryson, W. (2007). Extraction and characterization of non-scourable chromophores from discoloured fleece wool. *Coloration Technology*, 123, 54–58. <https://doi.org/10.1111/j.1478-4408.2006.00060.x>

Fish, V. E., Mahar, T. J., & Crook, B. J. (1999). Fibre curvature morphometry and measurement. *Wool Technology and Sheep Breeding*, 47(4), 248–265.

Frank, E. N., Hick, M. V. H., Frondizi Seghetti, D. G., & Mamani Cato, R. H. (2020). Perception of prickliness in fabrics made with dehaired and non-dehaired llama fiber and its relationship with fiber-based variables detected by consumers. *Journal of Textile Engineering and Fashion Technology*, 2(1), 8–11.

Frank, E. N., Hick, M. V. H., Flores Gutierrez, A., Castillo, M. F., Prieto, A., Castillo, M., Gomez, M. B., Martinez, A., Mamani Cato, R. H., & Seghetti Frondizi, D. G. (2023). Addressing challenges in promoting the use of animal-origin textile fibers for mitigating microplastic pollution on Earth. *Journal of Textile Engineering & Fashion Technology*, 9(6), 177–180.

Hebart, M., & Brien, F. (2009). Genetics of wool colour in the South Australian selection demonstration flocks. *Proceedings of the Association for the Advancement of Animal Breeding and Genetics*, 18, 500–503.

Hillbrick, L. K. (2012). *Fibre properties affecting the softness of wool and other keratins* (Doctoral dissertation, Deakin University).

Kenins, P. (1992). The cause of prickle and the effect of some fabric construction parameters on prickle sensations. *Wool Technology and Sheep Breeding*, 40(1), 19–24.

Lamb, P. R. (1996). Spinning performance is predictable. In K. A. Hansford, B. V. Harrowfield, & C. Sage (Eds.), *Top Tech 96* (p. 56). CSIRO Division of Wool Technology.

Lipson, M., Hilton, R., Watts, J., & Merritt, G. (1982). Factors influencing fleece rot in sheep. *Australian Journal of Experimental Agriculture and Animal Husbandry*, 22, 168–172. <https://doi.org/10.1071/EA9820168>



Mamani Cato, R. H., Frank, E. N., Prieto, A., Castillo, M. F., Condori-Rojas, N., & Hick, M. V. H. (2022). Effect of fibre diameter, prickle factor and coarse fibre bias on yarn Surface hairiness in South American camelids fibre. *Fibers*, 10(2). <https://doi.org/10.3390/fib10020018>

Millington, K. R., Dyer, J. M., Fleet, M. R., Mahar, T. J., Smith, J., & Swan, P. (2008). Improving the whiteness and photostability of Merino wool. In *The 86th Textile Institute World Conference: Fashion and textiles – Heading for new horizons*. Hong Kong.

Neimaur, K., Fernández, A., Pérez, V., Sienna, I., Urioste, J. I., & Kremer, R. (2018). Colour of Corriedale wool and its effect on dyeing. *International Journal of Advanced Research*, 6, 1163–1169.

Neimaur, K., Urioste, J. I., Naya, H., Sanchez, A. L., Sienna, I., & Kremer, R. (2021). Climatic and genetic effects in seasonal measurements of colour in Corriedale wool. *Small Ruminant Research*, 201, 106449. <https://doi.org/10.1016/j.smallrumres.2021.106449>

Neimaur, K., Kremer, R., Naya, H., Sienna, I., & Urioste, J. I. (2022). Wool scoured colour: Heritability, genetic and phenotypic correlations with wool traits in Corriedale sheep. *Small Ruminant Research*, 211, 106692. <https://doi.org/10.1016/j.smallrumres.2022.106692>

Smith, J., & Purvis, I. (2009). Genetic variation in clean wool colour in fine wool Merinos. *Proceedings of the Association for the Advancement of Animal Breeding and Genetics*, 18, 390–393.

Sommerville, P. J. (2007). *Fundamental principles of fibre fineness measurement*. AWTA Ltd.

Sumner, R. M. W. (2009). Relationships between softness and feltability with cuticle scale pattern and fibre dimensions within individual fleeces from six breeds of sheep. *International Journal of Sheep & Wool Science*, 57(1).

Sumner, R., & Craven, A. (2005). Relation between skin structure and wool yellowing in Merino and Romney sheep. *Proceedings of the New Zealand Society of Animal Production*, 65, 197–202.

Swan, P. G. (1993). *Objective measurement of fibre crimp curvature and the bulk compressional properties of Australian wools* (Doctoral dissertation, University of New South Wales).

Wood, E. (2002). The basis of wool colour measurement. *Wool Technology and Sheep Breeding*, 50, 121–132.

